

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	426	717/138-139.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:51
S2	78	S1 and (native-code or (native adj code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:52
S3	6	S2 and ((memory with access) with table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:52
S4	680	interpreter and (hardware\$1 with (simulat\$3 or mimic or imitation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S5	124	S4 and ((buffer\$3 or cach\$3 or repositor\$3 or database\$1 or table\$1) with (access\$3 with memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 16:05
S6	112	interpreter and ((hardware\$1 or processor\$1) with (simulat\$3 or mimic or imitation)) and ((native adj code) or native-code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S7	23	S6 and ((table\$1 or database\$1 or repositor\$3 or buffer or cache) with (maintain\$3 or record\$3 or keep\$3 or stor\$3) with (memory with access\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S8	939	interpreter and ((hardware\$1 or processor\$1) with (simulat\$3 or mimic or imitation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56

## EAST Search History

S9	54	S8 and ((monitor\$3 or record\$3 or watch\$3) with (memory near access\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S10	2	S5 and ((buffer\$3 or cach\$3 or repositor\$3 or database\$1 or table\$1) with ((accessible or accessibility) with memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S11	10	S4 and ((buffer\$3 or cach\$3 or repositor\$3 or database\$1 or table\$1) with ((record\$3 or sav\$3 or maintain\$3) with access\$3 with memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S12	25	S8 and ((table\$1 or database\$1 or repositor\$3 or buffer or cache) with (maintain\$3 or record\$3 or keep\$3 or stor\$3) with (memory near access\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S13	3	S8 and ((monitor\$3 or record\$3 or watch\$3) with (memory near access\$3) with (table\$1 or database\$1 or repositor\$3 or buffer or cache))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S14	72	S6 and ((maintain\$3 or record\$3 or keep\$3 or stor\$3 or sav\$3) with (memory with access\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S15	2	"6907519"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S16	79	S6 and ((maintain\$3 or record\$3 or keep\$3 or stor\$3 or sav\$3) with (memory with (access\$3 or reference)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56

## EAST Search History

S17	75	S16 and (readable or writable or executable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S18	7473	table\$1 with (record\$3 or maintain\$3 or stor\$3 or keep\$3 or sav\$3) with (memory with access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S19	145	S18 and interpreter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S20	495	S18 and (table\$1 with (readable or writable or executable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S21	21	S20 and (monitor\$3 with (memory with access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S22	1	S18 and (interpreter and (hardware with simulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S23	3	((native adj code) or native-code) same (illegal with access with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S24	458	S4 and ((buffer\$3 or cach\$3 or memory or repositor\$3 or database\$1 or table\$1) with ((access\$3 or referenc\$3) with memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56

## EAST Search History

S25	268	S24 and ((buffer\$3 or cach\$3 or memory or repositor\$3 or database\$1 or table\$1) with (readable writable or executable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S26	258	S24 and ((buffer\$3 or cach\$3 or memory or repositor\$3 or database\$1 or table\$1) with ((readable writable or executable) with memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S27	32	S25 and ((buffer\$3 or cach\$3 or memory or repositor\$3 or database\$1 or table\$1) with ((accessible or accessibility) with memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S28	458	S4 and ((buffer\$3 or cach\$3 or memory or repository or database) with ((access\$3 or referenc\$3) with memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S29	12	S4 and ((buffer\$3 or cach\$3 or repositor\$3 or database\$1 or table\$1) with ((record\$3 or keep\$3 or sav\$3 or maintain\$3 or monitor\$3) with (access\$3 with memory)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 16:11
S30	40768	(record\$3 or keep\$3 or sav\$3 or maintain\$3 or monitor\$3) with (access\$3 with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 16:12
S31	645	S30 and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 16:14
S32	23	S30 and "717"/138-139.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 16:14

## EAST Search History

S35	454	717/138-139.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S36	83	S35 and (native-code or (native adj code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S37	6	S36 and ((memory with access) with table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S38	733	interpreter and (hardware\$1 with (simulat\$3 or mimic or imitation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S39	115	interpreter and ((hardware\$1 or processor\$1) with (simulat\$3 or mimic or imitation)) and ((native adj code) or native-code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S40	1015	interpreter and ((hardware\$1 or processor\$1) with (simulat\$3 or mimic or imitation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S41	7869	table\$1 with (record\$3 or maintain\$3 or stor\$3 or keep\$3 or sav\$3) with (memory with access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S42	536	S41 and (table\$1 with (readable or writable or executable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25

## EAST Search History

S43	497	S38 and ((buffer\$3 or cach\$3 or memory or repositor\$3 or database\$1 or table\$1) with ((access\$3 or referenc\$3) with memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S44	302	S43 and ((buffer\$3 or cach\$3 or memory or repositor\$3 or database\$1 or table\$1) with (readable writable or executable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S45	138	S38 and ((buffer\$3 or cach\$3 or repositor\$3 or database\$1 or table\$1) with (access\$3 with memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S46	2	S45 and ((buffer\$3 or cach\$3 or repositor\$3 or database\$1 or table\$1) with ((accessible or accessibility) with memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S47	3	"6907519"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S48	154	S41 and interpreter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:44
S49	12	S38 and ((buffer\$3 or cach\$3 or repositor\$3 or database\$1 or table\$1) with ((record\$3 or keep\$3 or sav\$3 or maintain\$3 or monitor\$3) with (access\$3 with memory)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S50	43326	(record\$3 or keep\$3 or sav\$3 or maintain\$3 or monitor\$3) with (access\$3 with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25

## EAST Search History

S51	688	S50 and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S52	23	S50 and "717"/138-139.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S53	288	S43 and ((buffer\$3 or cach\$3 or memory or repositor\$3 or database\$1 or table\$1) with ((readable writable or executable) with memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S54	1	S41 and (interpreter and (hardware with simulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S55	497	S38 and ((buffer\$3 or cach\$3 or memory or repository or database) with ((access\$3 or referenc\$3) with memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S56	25	S39 and ((table\$1 or database\$1 or repositor\$3 or buffer or cache) with (maintain\$3 or record\$3 or keep\$3 or stor\$3) with (memory with access\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S57	55	S40 and ((monitor\$3 or record\$3 or watch\$3) with (memory near access\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S58	10	S38 and ((buffer\$3 or cach\$3 or repositor\$3 or database\$1 or table\$1) with ((record\$3 or sav\$3 or maintain\$3) with access\$3 with memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25

## EAST Search History

S59	25	S40 and ((table\$1 or database\$1 or repositor\$3 or buffer or cache) with (maintain\$3 or record\$3 or keep\$3 or stor\$3) with (memory near access\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S60	74	S39 and ((maintain\$3 or record\$3 or keep\$3 or stor\$3 or sav\$3) with (memory with access\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S61	4	S40 and ((monitor\$3 or record\$3 or watch\$3) with (memory near access\$3) with (table\$1 or database\$1 or repositor\$3 or buffer or cache))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S62	82	S39 and ((maintain\$3 or record\$3 or keep\$3 or stor\$3 or sav\$3) with (memory with (access\$3 or reference)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S63	78	S62 and (readable or writable or executable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S64	24	S42 and (monitor\$3 with (memory with access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S65	4	((native adj code) or native-code) same (illegal with access with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25
S66	33	S44 and ((buffer\$3 or cach\$3 or memory or repositor\$3 or database\$1 or table\$1) with ((accessible or accessibility) with memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:25



## EAST Search History

S67	107	S48 and (execut\$3 with (emulat\$3 or simulat\$3) wit hardware)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:48
S69	107	S48 and (execut\$3 with (software or application or program or module or code) with (emulat\$3 or simulat\$3) wit hardware)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:51
S70	6	S69 and ((emulat\$3 or simulat\$3) with hardware)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:58
S71	12	execut\$3 with (native adj code) with (emulat\$3 or simulat\$3) with hardware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:59
S72	59	execut\$3 with (native adj (instruction or code)) with (emulat\$3 or simulat\$3) with hardware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 08:59